

└ 7

└

⋈ ρ ⋈

⋈

M

⋈

ψ = ⋈ ρ

⋈	⋈ η r	2 ⋈ ⋈ ρ	%	⋈
ρ	⋈	k		

≠

ψ ⋈ ⋈ =

ψ ⋈ ⋈ ⋈ =

ψ ⋈ ,

9

⋈ ⋈

9

⋈ ⋈

⋈

⋈ ⋈

ψ

9

ψ ⋈

⋈

9

⋈

⋈

M

⋈

ψ

⋈

⋈

ψ ⋈

9

⋈

⋈

⋈

⋈

⋈

ψ ⋈

⋈

ψ ⋈

,

⋈

ψ

⋈ ⋈

⋈

⋈

⋈

M

⋈ ⋈

=

M

⋈

⋈

ψ

ψ

⋈ ⋈

⋈

⋈

M

⋈ ⋈

=

M

└

⋈

⋈ ⋈

⋈ ⋈

⋈

$$\begin{array}{c}
M \\
\vdash E^{\sim} \\
= \\
M \\
\vdash E^{\sim} \quad N_0 \\
= \\
2 \quad \ddot{I} \quad \ddot{F} \quad \psi \\
= \\
\ddot{E} = ' \\
\psi \quad \gamma \quad O = \gamma = ' \\
= \\
\gamma \quad G \quad \vdash E^{\sim} \quad E \quad \vdash^{\circ} \quad M \quad \vdash E \\
= \\
\eta \quad O \quad M \\
= \\
\Box \\
\vdash \ddot{I} \quad \vdash \ddot{A} = M \\
= \\
\vdash \ddot{A} \quad \vdash \ddot{A} = M \\
= \\
M \\
\ddot{F} \quad \psi \quad \vdash \ddot{A} \quad \vdash \ddot{A} = M \\
= \\
\Box \\
\vdash \ddot{I} \quad \vdash \ddot{A} = \\
= \\
M \\
\vdash \ddot{A} = M \\
= \\
M
\end{array}$$

Ψ

$\tilde{\eta}$

$\mathcal{M}$