

$$\begin{array}{ccccc}
 & \mathfrak{b} & & \mathfrak{m} & \mathfrak{E}^\alpha \\
 \mathfrak{H}\psi & \mathfrak{H} & \mathfrak{t} & \mathfrak{k} &
 \end{array}$$

			$\hat{A}$		
	$\mathfrak{l}$		$\mathfrak{e}$	$\mathfrak{H}$	$\mathfrak{e}$
$\mathfrak{H}$	$\mathfrak{k}$	$\mathfrak{f}$		$\mathfrak{e}$	$\hat{A}$
				$\mathfrak{E}$	$\mathfrak{k}$

H₂Ψ 2 Y G ~ 7

	
<p> M J HΨΨ №ч Ψ Ė X Ψ Â HΨ Ψ 'E 9 w Â X Й↓ ' H w ~ HΨ h M p9 X Ψ ' </p> <p>.....</p> <p> ^ H~ K Ψ ã HΨΨ ~ ĭ ã ã 9 ã ê'E Ĭ = ' </p> <p>.....</p>	<p> M J HΨΨ №ч Ψ Ė X Ψ Â HΨ Ψ 'E 9 w ÂX Й↓ ' H w ~ HΨ h M p9 X Ψ ' </p> <p>.....</p> <p> ^ H~ K Ψ ã HΨΨ ~ ĭ ã ã 9 ê'E Ĭ = ' </p> <p>.....</p>
<p> M ĩ 9 HΨ Ψ Ė X Ψ ~ HΨ h №≠ M Ė J HΨ ↓ HΨ h й Ψ ~ ã 9 ã 9 ĭ r ~ ' ĩ r H Â A Â </p>	<p> M ĩ 9 HΨ Ψ Ė X Ψ ~ HΨ h №≠ M Ė HΨ ↓ HΨ h й Ψ ~ ã 9 ã 9 ĩ r ~ ' ĩ r H Â ~ A Â </p>

$\bar{w} \sim \gamma \quad O \xi \ddot{y} \quad \hat{A}$ $H = N \circ \psi \quad \grave{a} \, \dot{y} \quad \xi \quad \hat{A}$ $\mathfrak{b} \, \psi \, H \quad \varepsilon \, \vdots \quad \mathcal{T} \quad \dot{y} \, \bar{w} \quad \mathcal{A}$ $\square \quad \mathfrak{H} \, \mathfrak{a} \, \mathcal{Y} \, \vdots \quad \sim \, \psi \, h \, \neg$ $H \quad \sim \quad \mathfrak{b} \quad \sim \quad \psi$ $\prime \, \mathcal{T} \quad \psi \, \mathfrak{b} \quad \mathcal{A} \quad \sim \quad \psi$ $\hat{A}$ $H \psi = \eta \, r \, H \, \mathfrak{V} \, \square$ $\hat{A}$ $\mathfrak{b} \, \psi \, H \quad H \psi = \mathfrak{z} \quad \hat{A}$	$\neg \, \bar{w} \sim \gamma \quad O \xi \ddot{y} \quad \hat{A}$ $H = N \circ \psi \, \square \quad \grave{a} \, \dot{y} \quad \xi$ $\hat{A} \, \mathfrak{b} \, \psi \, H \quad \varepsilon \, \vdots \quad \mathcal{T} \quad \dot{y} \, \bar{w}$ $\mathcal{A} \quad \square \quad \mathfrak{H} \, \mathfrak{a} \, \mathcal{Y} \, \vdots \quad \sim \, \psi$ $h \, \neg \quad H \quad \sim \quad \mathfrak{b}$ $\sim \, \psi \quad \prime \, \mathcal{T} \quad \psi \, \mathfrak{b} \quad \mathcal{A}$ $\sim \, \psi \quad \hat{A}$ $H \psi = \eta \, r \, H \, \mathfrak{V}$ $\square \, \hat{A}$ $\mathfrak{b} \, \psi \, H \quad H \psi = \mathfrak{z} \quad \hat{A}$
--	---

$\mathfrak{H} \, \mathfrak{V} \, \mathcal{J} \quad H \psi \, h \quad \neg$
 $\mathfrak{b} \, \neg \, 2 \quad \psi \, \mathcal{A} \quad \hat{A} \, \psi$
 $\prime \quad \gamma \, \mathfrak{Y} \, \rho \quad \prime$
 $\dots\dots$
 $\hat{} \, \mathcal{J} \sim \psi \quad \grave{a} \, \beta \, H$