




002285



001

1.1

1.2

1.3

1.4

1.5

1.6

2.1

2.2

2.3

5.1

5.2

5.3

5.4

8.1

8.2

8.3

111

Й

Г Ё

Ф

О

Ў

1

013

Ў

Ў

Ў

065

- ESG

116

3.1

3.2

6.1

6.2

6.3

6.4

1

2

3

4



01

1.1

г д щ щ “ ” † “ ” † “ ” “ ” Ъ
“ ” Ъ В 0.03
† † с

1.2

В с В
0.03 / / 0.03 /0 1/ щ “ ” Ъ В
В с

1.3

г / XX д † г
1 XX щ0.04 Ъ д г
/5 XX щ Ъдг XX щ Ъд
В с с В
с

1.4

1.4.1

В В † с
В † с

1.4.2

† В с
В0.03 с

1.4.3

1.5

В † † с
В с В с

1.6

щ frnq8--u u u,umpjbs lgm l,am k,a l - Ъ с
В с
A .533-00/4 0466
A g ldm>umpjbs lgm l,am k,a l
A 0.06 щ Ъ /3



Й 2021 Й


4









31



-
- Figure 1 displays three network diagrams illustrating the relationships between various nodes (CQE, B, H, c) and their connections. The diagrams are arranged in a 3x3 grid, with each diagram representing a different configuration of nodes and edges.
- Top Row:**
 - Diagram 1: Shows a path from CQE to B to H to c.
 - Diagram 2: Shows a path from CQE to B to c.
 - Diagram 3: Shows a path from CQE to B to c.
 - Middle Row:**
 - Diagram 4: Shows a path from CQE to B to c.
 - Diagram 5: Shows a path from CQE to B to c.
 - Diagram 6: Shows a path from CQE to B to c.
 - Bottom Row:**
 - Diagram 7: Shows a path from CQE to B to c.
 - Diagram 8: Shows a path from CQE to B to c.
 - Diagram 9: Shows a path from CQE to B to c.



† г	Д	† г
† г	Д	† г
† г	Д	† г
† г	Д	† г
† г	Д	† г



† /0 B B B H
† B † †
B B c



3.2

CQE B B CQE
c 0.03 B / B “
” c † †
B B † † B
† B c

/ 1 XX щ0.04 /5 XX ъ д г

	† † † B B H † B 0.03 † B H † B † B c † † † c
	† г д 0/ B † † 1 B † B B /0 B 4 B 1 c
	† † † B † B c † † † † † † † B B † † † † †
	† A B “ ” B c † † B c † † B † c

† B †
c † † B A
† - † † - † † c
B B B
† CQE c B †
B B B † c

		† †	
-			





Очи
и



и

и

и

и

и

и

и

и

и

и

и

и

и

и

4.1.2

† с 0.03 В В
В г д г д г д В
В В с В //

г д г д В
† с 0.03 В // В
// щ 5 В 0 В / В / ъВ
0 В /...% с

2025

- 11
- 11

В † †
В с 0.03
В † с †



† † В В г Д г Д В В г Д
г Д В В с
2 В 14% В с “1+ / ”
В † † с В
† В0.03 г
Д г 0.02 Д г 0.03
Д г 0.03-0.05 Д В
с

3.	1
3.-4. щ ъ	4
4.	0

4.1.3

В с г Д
г Д г Д г Д В г † †
Д г Д В с † †
† В В
В с В † В
† г Д с В
В 1 В
с В : < Д г :
< Д г 0.02 Д † г 0.02 Д г
Д г 0.03 Д г 0.03
Д Н с
В В0.03 В
† В † † †
с В † † В с

2025

Вид	Возраст	Вид	Возраст	Вид	Возраст	Вид	Возраст
Щ	3	Щ	3	Щ	3	Щ	3
А	4	А	4	А	4	А	4
А	116	А	116	А	116	А	116
А	1	А	1	А	1	А	1
В	22	В	22	В	22	В	22
А	100%	А	100%	А	100%	А	100%
А		А		А		А	

4.2

AMQM

B

C

4.2.1

“ ” B B

C

† † C

† † C


† B H

C

$$\begin{array}{ccccc} & \uparrow & & \text{H} & \\ & & & \uparrow & \\ & & & & \text{H} \\ \text{C} & & & & \end{array}$$

4.2.2

0. /6 /0 B r
д В c
B GQM




4.4


В
с
† “ ” XX г Д
г Д В Н
† г Д г
Д Н
† В с

4.3.5

В
† † с 0.03 В г Д г Д
В г Д В
77% с
В † В с
“ ” В † с
† † В В † В
с с В В † †
В с В † †
0.03 В /,774 В † /1 с

† † † В г Д г
Д с г Д В
† † В † В
В с В † Н
В В с Н
В В с
В В
† Е@-R 1/73. -0.01 с
с В
с
Е@-R 1/73. -0.01



3
3
3
3

51

B

B

B

B

†

C

C

C

511

c B B B c0.03 B

7. %

В г д В “ X X ” В

А В Н

В Н В с


“ † CFQ † † † † ”

B B c

B
 7.../80.../3
 E@-R 05700-0...//
 c

c B
 † E@-R /3274-0.../5
 H
 7.../80.../3
 c

[illegible]








Diagram illustrating the structure of the 2×2 matrix $\mathbf{B}$ for the 2×2 case, showing the arrangement of elements B and c in a grid:

	B	$\dagger$	$\dagger$		B		
c		B		$\dagger$			B
B			c		$\dagger$	$\dagger$	$\dagger$
		B					$\dagger$


C



“ † † ”



† † †




5.1.4




2025			
		%	73,40%
			.



5.2



5.2.1



5.3 Й

5.3.1

B $Q _ Q$ B $\dagger$ $\dagger ?$
 $\vdash$ B B B
 c

SaaS

† † † B B † c
c B B c

The diagram illustrates a grid of colored squares arranged in rows and columns. The grid is composed of several rows of squares, with the first four rows having a teal square on the left and a light blue square on the right. The fifth row has a teal square on the left and three light blue squares on the right. The sixth row has a teal square on the left and three light green squares on the right. A vertical light blue bar is positioned to the right of the grid.

[illegible]

В с 0.03 В
с В
щ 8XJ0.01///76644,1 г
† †
В д ъ
† с

5.3.2

0.03 В В † В
В с
Й
щ † † ъ В 1. В
APK † † † ?
с В “ ” В ?
† † В 4. В
с

Й

В В В † ?
† В с В В Q__Q щ
ъ В с

5.3.3

ABC

? - A † B ?
 H
 @ - A щ ъ B
 H
 A - A B B †
 с
 B B с
 † B B B
 с

с B
 B B † B с B B
 † B B
 г д B с B г GR с B
 д B “ + ” B B
 с B с
 B B ?CQ
 † B с B
 B † †
 † B с

B H B “ ?CQ ” B B
 † B с B

† B щJ/-J3 ъ B
 с † с B

B 0.03 † † с
 †
 †
 † BPNщ ъ
 †

† 0 † 7 щ + ъ B B
 † † †
 H B H † †
 † B GR H †
 † B † SNQ GR B
 H B
 † (C@Q † † † ?B) B B B
 с



61



611

Й

0.03 В г Д В с
г Д т т В
г Д В т
с В В В
с В В
В т т В В В
т т с В 3 02 N ц Ğ Ъ [

6.2 人才梯队建设

6.2.1 晋升双通道



6.2.2

†	H	B	†	†	†	†
†	C	B	†	†	B	†
†	A	†	†	†	†	†
†	A	†	†	C	†	†

2025	
	35,43%
	/17,04

Diagram illustrating the relationship between the number of nodes (n) and the number of edges (m) for a tree. The diagram shows a tree structure with 4 nodes and 3 edges. The nodes are labeled B, B, H, and C. The edges are labeled B, B, and C.

B
 B /3. B † † B † c
 B B B
 B c



The diagram shows a sequence of nodes connected by arrows. The nodes are labeled B, C, and †. The sequence starts with a † node, followed by a B node, then a C node, and continues with a repeating pattern of B, C, and † nodes. The diagram illustrates a path through a graph structure.

Th B B c
Th B B B
Th B c
c t

B t B “ ” c
“ - - ” B /... B /./ c
c “ + + ” B t t
t B c

0.03 5 B tBA B r X
t Д B /5 B c B
t B B c

“ - ”

c B B B
B B c
B B t B
c t B
B B t B c
B B c c c
t t t /7 B

6.3 И

6.3.1

г д г CFQ с В с † щCFQъ В “ В CFQ 0.03




GQM 23.. / A0. /6

Щ%Ъ	.
Щ Ъ	.
Щ Ъ	.
Щ%Ъ	./5
Щ Ъ	245
Щ Ъ	./02
Щ Ъ	1./3.1,51
Щ Ъ	0,/1

6.3.2

Д В Б щЖСАЪ В т т В С



2	I		
10.		B	
/4.-10.		B	
5.-/4.		B	B B
0.-5.		B	
0.			

0	щВЪ;щЈЪ	vщСЪ	vщАЪ	В	В щЈЪ
	† щСЪ	† щАЪ			щ
Ъ	С				

† B † † † B

c

B “ † † † †

† † † † CFQ


c B B

c

† † † B † B † † †
C B B B †
† B B †
C

	† † † †
	† B r Д
	B B
	B B † †
	B B B
	B B

A diagram showing the distribution of the letters B, C, and T across 100 positions. The letters are scattered throughout the grid, with B appearing most frequently, followed by C and then T.



0.03 B † † † B

† c



0.03 B 05. B
c † †
B †
B c



The diagram consists of approximately 15 nodes arranged in a circular pattern. The nodes are labeled with 'B' and 'c'. The connections are as follows:

- Node 1 (top) is labeled 'B'.
- Node 2 (top-right) is labeled 'B'.
- Node 3 (right) is labeled 'c'.
- Node 4 (bottom-right) is labeled 'B'.
- Node 5 (bottom) is labeled 'c'.
- Node 6 (bottom-left) is labeled 'B'.
- Node 7 (left) is labeled 'c'.
- Node 8 (top-left) is labeled 'B'.
- Node 9 (top) is labeled 'B'.
- Node 10 (top-right) is labeled 'B'.
- Node 11 (right) is labeled 'c'.
- Node 12 (bottom-right) is labeled 'B'.
- Node 13 (bottom) is labeled 'c'.
- Node 14 (bottom-left) is labeled 'B'.
- Node 15 (left) is labeled 'c'.

The connections are as follows:

- Node 1 is connected to Node 2, Node 8, and Node 9.
- Node 2 is connected to Node 1, Node 3, and Node 10.
- Node 3 is connected to Node 2, Node 4, and Node 11.
- Node 4 is connected to Node 3, Node 5, and Node 12.
- Node 5 is connected to Node 4, Node 6, and Node 13.
- Node 6 is connected to Node 5, Node 7, and Node 14.
- Node 7 is connected to Node 6, Node 8, and Node 15.
- Node 8 is connected to Node 7, Node 1, and Node 9.
- Node 9 is connected to Node 8, Node 1, and Node 10.
- Node 10 is connected to Node 9, Node 2, and Node 11.
- Node 11 is connected to Node 10, Node 3, and Node 12.
- Node 12 is connected to Node 11, Node 4, and Node 13.
- Node 13 is connected to Node 12, Node 5, and Node 14.
- Node 14 is connected to Node 13, Node 6, and Node 15.
- Node 15 is connected to Node 14, Node 7, and Node 8.

Щ?СВЪВ



	/,0/1
	/2,1/0
	/ .4,34
	/ . . %
	.
	7/0
	006
	35.
	/ . . %
Щ	Ъ

6.4

Й

6.4.1

“ ” B † † c B B † c † † B † † B † † c



0.03 3 B B † B B c 5 B B c



0.03 B † B † B “ 1T1 c c B B



2025

0.03 6 B B B B c “ ” c






07

и

7.1.1



Diagram illustrating the structure of a sentence (X) and its components (B, CQE, C, D, S) in a hierarchical tree structure:

```
graph TD
    X --- B
    X --- CQE
    X --- C
    B --- CQE
    B --- B
    CQE --- B
    CQE --- C
    CQE --- D
    CQE --- S
```



71.2

		1. 2. 3. 4. 5.	ᠢ ᠢ ᠢ ᠢ ᠢ	† † † 	† 	B B B	 B 	c c c c c	 c c
		1. 2.	ᠢ ᠢ					c c	
		1. 2. 3.	ᠢ ᠢ ᠢ			B †		c c c	 c c
		1. 2. 3. 4.	 ᠢ ᠢ ᠢ	ᠢ c			B B B	 c c c	B c c
		1. 2. 3.	ᠢ ᠢ ᠢ			B B		c c	c c
		1. 2. 3. 4.	 ᠢ ᠢ ᠢ						
		1. 2.	ᠢ ᠢ	†		B	B	c c	
		1. 2. 3. 4.	ᠢ ᠢ ᠢ ᠢ		B †			c c c	 c c



71.4

†

B

c

B

B

0.03

"

B

c

B

г

Д

B

GQM / 2.42 † EFE Npmrmamj

B

c

B

B

c

"

†

"

B

0.1.

A

0.03

B

0.1.

B

1.% c

B

0.03

c

†

B

"0.1.

1.% "

B

†

c

0.03

B

†

B

771,23

B

0.02

/6,6% c

B

†

†

c

B

0.1.

c

c

2025

A

	2025	2024
	771,23	/,001, . 5
	7,50 .,/6	-
	/ .,5/1,41	-

7.2

c

c

B

B

7.2.3

†

$\mathcal{H}$ $\mathcal{B}$ $\mathcal{C}$
 $\mathcal{A}$ $\mathcal{B}$ $\mathcal{B}$
 $\mathcal{B}$ $\mathcal{C}$
 $\mathcal{B}$ $\mathcal{C}$ $\mathcal{B}$ $\mathcal{C}$

† B B c B
B c

7.2.4

B c
г Д “ † 0%”
с “ ” B
с † B H
† B B c “
X X ” B c

0.03 A

2025

2025		
		1, . 22,05

•V8Ö””B2

“!P O

7.3.4

2025

2025		
		05.37,4
	-	/1,65

7.4

† B C

† B B C

7.4.1

0.03 B r dB “ † B † †
† † B c
” B † †
† “ X X ” B † †
† η_b

0./3

c

щѐOLCRъ

B

Q̂M/2../A



Q̂M/2../A0./3

щѐOLCRъ

дВ

B

††

c

г

д щE@-R/6661-0../0ъ

c

г



A network diagram showing relationships between nodes labeled with letters and symbols. The nodes are arranged in a grid-like pattern. The top row contains B, B, †, B. The second row contains B, c. The third row contains c 0.03, B, B, B, †, c. The fourth row contains B, B, A, B, H. The fifth row contains B, c. The bottom row contains B, c, c, †. The nodes are connected by a series of lines forming a network.



The diagram illustrates a two-stage process, likely related to the concept of "B" and "c" in the text. The top stage, labeled "Before", shows a horizontal line with points labeled B, c, †, †, B, c, B. The bottom stage, labeled "After", shows a horizontal line with points labeled B, c, B, 1... c, B, †, c. A green line connects the first B in "Before" to the first B in "After".





8.1 И

† В с В В
с В
† В
с 0.03 // В
В щ KAD ъ “ ” В
с В “ ” В
“ ” В † В
с В В В
В В с



щ KAD ъ “ ”



“ ”

8.2 И

В † В В
В В В В
† с В
с

8.2.1

В В †
В с

0.03 2 В В
с †
В † “
” В с
В В с
0.03 6 В “ † ” В
с /3...kjB
В В † с



8.2.2

“ ” B c B
B c

B B A “ † B ” H “ ”
B B B c



“ ”
0.03 7 B B B 16
B B c /4 c



“ ”
0.03 0 B “ ” c “
” B c B c

8.3 Й

B c
B † B



Т ESG

11

			2025 ²	2024
1	щ + б		/ .,5/1,41	/,001, .5
		-	3,27	.,3.
	щ б ²		411,34	020,41
	щ б ³		/ ., .6., .5	76 .,22
			0 . .,/1	-
			/55,56	-
			033,42	-
			/ ., . .6,03	-
			5/,60	-
4	щ NK _{0,3})		/,33	05,62
	щ QMv б		/,13	/,12
	щ L Mv)		/0,66	1/1,46
	⁵		150,37	0/5,4/
		-	.,/7	.,.7
	⁶		/ . .,167,01	/6,312,47
		-	3/,24	5,36
			1, . 22,05	105,50
			/75. . /	/ . 1,06
			0,625,04	002,22
		-	/,34	.,/1
			00,744,77	/,605/1
	щ б +		21 .,56	-

2

1

4

	17		
		RADB	† B 5, /
	B		A B † B
	B B		B A † B 5,2,0
	B		B A B † B 6, /
	B B		† A B † B
	B B		† B 50 50, / 50,0 50,1 50,2
	B c		† B 51 51, / 51,0 51,1 51,2
	B B		† B † A

	17		
		B B	† B B A B 6,1
		B † † † B c	† B B 6,0 6,0, / 6,0,0
		B	† B B 3,1 3,1, / 3,1,0 3,1,1
		B †	-
		B † † B B	† B B 3,0 3,0, / 3,0,0 3,0,1 3,0,2
		B B ъ	c
		1. . B 3. % B c	† A B B 3,0
		B B	† B 3, / 3,0 3,1 3,2

